

148

DET DANSKE METEOROLOGISKE INSTITUT


GEOFYSISKE MEDDELELSER

DANISH METEOROLOGICAL INSTITUTE
GEOPHYSICAL PAPERS

R-26

INTERPLANETARY MAGNETIC SECTOR POLARITY INFERRED FROM POLAR GEOMAGNETIC FIELD OBSERVATIONS

EIGIL FRIIS-CHRISTENSEN, KNUD LASSEN,
JOHN M. WILCOX, WALTER GONZALEZ,
and DAVID S. COLBURN



(NASA-TM-X-67518) INTERPLANETARY MAGNETIC
SECTOR POLARITY INFERRED FROM POLAR
GEOMAGNETIC FIELD OBSERVATIONS E.
Eriss-Christensen, et al (NASA) 1971 7 P
CSCL 08N

N72-16251

G3/13 14779

FACIL

11-10-10-10-10
(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

CHARLOTTENLUND

1971

98

DET DANSKE METEOROLOGISKE INSTITUT

GEOFYSISKE MEDDELELSER

DANISH METEOROLOGICAL INSTITUTE

GEOPHYSICAL PAPERS

R-26

**INTERPLANETARY MAGNETIC SECTOR POLARITY INFERRED
FROM POLAR GEOMAGNETIC FIELD OBSERVATIONS**

**EIGIL FRIIS-CHRISTENSEN, KNUD LASSEN,
JOHN M. WILCOX, WALTER GONZALEZ,
and DAVID S. COLBURN**

ISBN 87 7478 046 8

**CHARLOTTENLUND
1971**

INTERPLANETARY MAGNETIC SECTOR POLARITY INFERRED
FROM POLAR GEOMAGNETIC FIELD OBSERVATIONS.

Eigil Friis-Christensen, Knud Lassen,
John M. Wilcox *), Walter Gonzalez *),
and David S. Colburn **)

Abstract

With the use of a prediction technique it is shown that the polarity (toward or away from the sun) of the interplanetary magnetic field can be reliably inferred from observations of the polar geomagnetic field.

*) Space Science Laboratory
University of California
Berkeley, California 94720

**) Space Science Division
NASA Ames Research Center
Moffett Field, California 94035

An influence of the interplanetary magnetic sector polarity on the diurnal variation of the polar geomagnetic field has recently been reported.^{1,2} Briefly, for an away (from the sun) polarity interplanetary sector the effect is most prominent as a broad minimum for a few hours near local noon in the vertical component of a station near the northern pole such as Thule (corrected geomagnetic latitude 86.8°N), and as an increase in the horizontal component of a lower latitude station such as Godhavn (corrected geomagnetic latitude 77.5°N). For a toward polarity sector the vertical component at Thule has a corresponding maximum, and the horizontal component at Godhavn is decreased. The effect appears to exist over the entire polar cap, but disappears at latitudes a few degrees below Godhavn. In the southern hemisphere the effects corresponding to a given interplanetary polarity are systematically reversed.

We are collaborating on an investigation of this interesting effect. In order to provide an unambiguous test of the effect the following procedure was arranged. The Danish group undertook to infer the interplanetary magnetic sector polarity from the geomagnetic observations of their stations at Thule and Godhavn for the year 1969. This was done without knowledge of the sector polarity as observed by spacecraft, which was at the same time being analysed by the group in the United States. The sector polarity was inferred by visual inspection of the magnetograms, and no scaling or computing was performed. In the winter months the effect was not so distinct that an objective polarity assignment could be inferred.

The inferred interplanetary sector polarity was sent to the United States for comparison with the observed polarity³ with the result as shown in Figure 1. The correspondence between the inferred and the observed sector polarities is very close. The positions of the sector boundaries usually agree to within less than a day, and sometimes to within the 3-hour intervals used in the analysis. The inferred field is basically determined for each Universal Time day, but occasionally a sector boundary passing the earth will cause a variation in the geomagnetic field such that a more precise time for the sector boundary can be inferred.

Further investigations of this effect will have two broad objectives: 1) A detailed investigation of the physical processes associated with the influence of the interplanetary sector polarity on the polar geomagnetic fields, and 2) an attempt to infer the interplanetary (and therefore solar) sector polarity patterns over several previous 11-year sunspot cycles, such as to give a broader perspective and understanding of solar and interplanetary sector magnetism.

The work done by the American group was supported in part by the Office of Naval Research, by the National Aeronautics and Space Administration, and by the National Science Foundation.

References.

1. Svalgaard, L., Danish Meteorological Institute Geophysical Papers R-6, August 1968.
2. Mansurov, S.M. Geomagnetism and Aeronomy, 9, 622, 1969.
3. Wilcox, J.M. and Colburn, D.S., submitted to J. Geophys. Res.

Figure 1. Interplanetary magnetic field polarity (away from or toward the sun) during 1969 plotted on a chart of planetary magnetic 3-hour range indices K_p (after Bartels). Light shading is field polarity away from the sun, and dark shading is field polarity toward the sun. The top bar on each line represents the interplanetary field polarity observed with the Ames Research Center magnetometer experiments on the spacecraft Explorers 33 and 35, and the bottom (narrower) bar on each line represents the interplanetary field polarity inferred from observations of the polar cap geomagnetic field. The cross-hatch represents intervals of ambiguous field polarity.




Figure 1

DANISH METEOROLOGICAL INSTITUTE
GEOPHYSICAL PAPERS
REPORTS

- R-1 F. Primdahl: Automatic Stepwise Suppression of the Zero of a Pen and Ink Recorder.
- R-2 Knud Lassen and O. Rud Laursen: Danish Visual Aurora Observations 1960-66.
- R-3 T.S. Jørgensen and T.F. Bell: Observation of Naturally Occurring VLF and Man Made HF Plasma Waves in Auroral Regions of the Ionosphere.
- R-4 K. Lassen and O. Rud Laursen: IQSY Ascaplots, Greenland.
- R-5 J. Wilhjelm: Non-random Influence of External Sources on a Geomagnetic Induction Anomaly in Northern Part of Greenland.
- R-6 L. Svalgaard: Sector Structure of the Interplanetary Magnetic Field and daily Variation of the Geomagnetic Field at High Latitudes.
- R-7 T.S. Jørgensen: On the Naturally Occurring Electromagnetic Noise Called Auroral Hiss.
- R-8 K. Lassen: Polar Cap Emissions.
- R-9 Christian Danielsen: Auroral Observations at Thule 1961-65.
- R-10 Ib Steen Mikkelsen: Final Scientific Report. The Electron Content in the Auroral and Mid-Latitude Region.
- R-11 F. Primdahl: The Fluxgate Mechanism (I. The gating curves of parallel and orthogonal fluxgates).
- R-12 F. Primdahl: A Ferrite Core Fluxgate Magnetometer.
- R-13 T. Stockflet Jørgensen: Auroral Hiss and Polar Magnetic Activity.
- R-14 K. Lassen: Diurnal Variation of Auroral Frequency over Greenland 1963-66 (IQSY).
- R-15 J. Wilhjelm: Ground Based Geomagnetic Measurements in Greenland with an Account of a Survey in 1965 and a General Summary of Observations Performed Since 1587.
- R-16 Knud Lassen: The Position of the Auroral Oval over Greenland and Spitzbergen.
- R-17 F. Primdahl: Temperature Compensation of Fluxgate Magnetometers.
- R-18 F. Primdahl: Short Note on Units in Magnetostatics.

- R-19 F. Primdahl: Note on a Second-Harmonic Phase-Sensitive-Detector with Fundamental Reference Voltage.
- R-20 T. Stockflet Jørgensen: Progress in ELF and VLF Emission Studies at High Latitudes.
- R-21 Ib Steen Mikkelsen: Knee of Total Electron Content and Scintillation Boundary.
- R-22 F. Primdahl: Bibliography of Fluxgate Magnetometers.
- R-23 F. Primdahl: Analysis of Units in Electromagnetism.
- R-24 F. Primdahl: Recommendation of Preferred SI-Units in Geophysics.
- R-25 F. Primdahl and W.R. Darker: Long Term Stability of a Ferrite Core Fluxgate Magnetometer in High Field.
- R-26 Eigil Friis-Christensen, Knud Lassen, John M. Wilcox, Walter Gonzalez, and David S. Colburn: Interplanetary Magnetic Sector Polarity Inferred from Polar Geomagnetic Field Observations.